Scott [illegible]

PW (1949) Department.

Ms SERIES.

G.O. NO. 4070

Dated 3 - 11 - 49

close

18.3.50

[Despatch Abstract.]

[illegible] - [illegible]- Lady of Lies for supply of fresh water [illegible] [illegible]ter Plantin' cr [illegible]- Proceeds - Approved.

From:
J.M.Balmforth Esq.,
Presidency Port Officer,
P.B.No.13,
Madras 1.

To:
The Secretary to Government,
Public Works Department,
Madras.

No.352292/49-3 dated 22 October 1949.



Mangalore Port - Levy of hire when the port well pump is worked by electricity for supply of fresh water to steamers and other floating craft - Sanction - Requested.

I have the honour to state that Masters or Steamer Agents of ships and tindals of country craft at the port of Mangalore occasionally apply to the Port Officer for supply of fresh water for their vessels from the port well by electric pump. Prior to the installation of the electric pump, it has been the practice for outsiders to draw their own water from the well by the use of the hand pump. The Port Officer, Mangalore, has proposed that the fresh water to the Steamer Agents and others may be made available speedily and to the extent required by working the electric pump. This proposal involves expenditure by way of establishment charges renewals, running expense, consumption of electric energy, depreciation etc., which works out at Rs.1-8-0 per 500 gallons - vide working sheet as prepared by the Inspecting Dredging Engineer of this office. Fees for supply of fresh water to ships at Madras are charged by the Madras Port Trust at the rate of Rs.2-12-0 per 500 gallons. The Port Officer has also proposed collection from parties and payment of an overtime fee of Rs.0-8-0 per hour or part thereof to the mechanic working the pump. The scale of pay attached to the post of mechanic is Rs.50-1-60.

'A'

In

2. In the circumstances, I agree with the Port Officer's proposal and recommend levy of a flat rate of Rs.1-8-0 per 500 gallons of water or part thereof for the use of Port well electric pump to meet the expenses referred to in para 1 above also the collection of overtime fees from parties who apply for fresh water at a flat rate of Rs.0-8-0 per hour or part thereof whenever the pump is used between the hours of 6 P.M. and 6 A.M. on all days and during holidays including Sundays and the fee so collected is to be paid to the mechanic in charge of the pump. I request the sanction of Government to the proposals.

3. The electric pump fitted to the port well belongs to Provincial Mangalore Landing and Shipping Fund. The hire charges as and when collected will be credited to the Mangalore Landing and Shipping Fund. The concurrence of the local Port Conservancy Board to the above proposal was been obtained by circulation - vide copy of note by the Port Officer for the members of the Port Conservancy Board dated 17-9-49 attached.

Yours faithfully,

Presidency Port Officer

AT/22.

Encls.
(2)

Rate of charge to pump 500 gallons of water for the port well at Mangalore with the electric pump.

Pumping 500 gallons to the head of 20 feet

3 H.P. will be used to pump + 25 P.C. for friction

= 4 H.P. The motor uses 3.2 amps per minute per H.P.

Therefore 3.2 x 4 = 12.8 amps per minute for 4 H.P.

12.8 x Rs.0-1-6 = Rs.1-3-0 and overtime + 25% overhead charges. Rs. 1-3-0 for electric current.

25% on Rs.1-3-0 or Annas 5 may be added as overhead charges.

Then it comes to Rs.1-3-0+0-5-0 or Rs.1-8-0 per 500 gallons.

12815
19.20

E.Abrahams,
Inspecting Dredging Engineer.

(True Copy)

Presidency Port Officer

NOTE FOR THE MEMBERS OF THE P.C. BOARD MANGALORE.

PRESIDENCY PORT OFFICE MADRAS

Sub: Mangalore Port - Levy of hire for Port well pump worked by Electricity for supply of fresh water to steamers and other floating craft - rate of hire - fixation - approval requested.

The Presidency Port Officer, Madras in his Memo No. 3522 G1/49-2 dated 13-9-1949 has proposed the rate of Rs. 1-8-0 per 500 gallons or part thereof and over time fees at Re. 0-8-0 per hour or part thereof for the Mechanic for supply of fresh water by electric pump to steamers and other floatingcrafts.

The rate is based on the calculation sheet attached.

The Board's approval is requested.

Sd. L.G.Hardas
Port Officer

Port Office, Mangalore.
~~30th~~ 17th September, 1949.

Circulated among members.

1.	The Collector of South Kanara,	Approved
2.	The Customs collector.	Approved.
3.	Mr. J.R.Bowler.	Approved.
4.	Mr. A.S.H.Dickson	Approved.
5.	Mr. J.K.Kirkbride.	Approved.
6.	Sri. G.G.V.Prabhu.	Approved.
7.	Janab. H.Kunjamu.	Approved.
8.	Sri. H.C.Somasundaram	Approved.
9.	Sri. Nagar Mohan Rao.	Approved.
10.	Sri. Manil Madhav Naya	Approved.

/ C O P Y /

Port Office, Mangalore.
30th September, 1949.

N. Kottarela
Port Officer.

Pw 71

I°

Subr. PORTS. Mangalore. Levy of fees for supply of fresh water to steamers and other floating craft. Proposals - Approved.

52
3.11

CF Ref. from the P.B.O. No 3522 C1/49 3 dl. 22.10.1949

ORDER No 4070 dated. 3 : 11 - 49.
MG

H.E. the Governor of Madras hereby approves the proposal of the P.B.O to collect from persons or parties deriving profit from water from the Port Depot at Mangalore by electric light, a fee of Rs. 1.8.0 (Rupee One and annas eighty only) for every 500 gallons of water so taken ~~of fresh water from the pole well at Mangalore by using the electric pump attached thereto to the quarters adjoining the said well~~

2. The proposal of the P.B.O. to collect a overtime fee of annas eight per hour or part thereof whenever the electric pump is used between 6 P.M and 6 A.M on all days and during holidays meaning Sundays and to pay the amount to the mechanic working the pump is also approved.

3. The fee referred to above should be credited to the Provincial Mangalore Landing and Shipping Fund.

Sd/- [illegible]
26.10.49.

I Sec. to G. P.C.
Exam. of P.F. A. 27.10.49

2 S/s.

Sd/- [illegible]
1.11.49

T.T.O

Note. The P. H.O's proposals on pt 1. 2 of have been approved by the P. C. Board, Mangalore. The details for the fee @ Rs. 1.8-0. proposed to be collected from the parties for the supply of every 500 gallons of fresh water are at pt 3 of. The proposals may be approved. Draft overleaf is for approval.

26.10.49

Heem
27.10.49

1.11.49